



<b>Identification</b>	Type Part-No.	LCIS-SRKF-DC-3L-200320-S 763020.0320
<b>Input</b>		
Input voltage range	11.0 V – 30.0 V	
Protection device	Supressor diode	
Status Indication	LED green	
<b>Load Side</b>		
Switching element	MosFet, NO contact	
Min. switching voltage	DC 10 V	
Max. switching voltage	DC 30 V	
Min. switching current	5 mA	
Max. switching current	2 A	
Leakage current	< 100 µA	
Switch-on delay	< 0,3 ms	
Switch-off delay	< 0,4 ms	
Switching frequency	100 Hz	
Protection device output	Supressor diode	
<b>General</b>		
Housing material	PA 6.6 (UL 94 V-0)	
Protection class	IP 20	

27.05.2015 – Subject to technical modification

Part-No. 763020.0320

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.


Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk



## Technical data sheet • Interface Technology

Field installation	rail TS 35 (EN 60175)
Insulation voltage input/output	4.0 kV <sub>eff</sub>
Safe isolation	yes
Operation temperature range	-25 °C – 60 °C
Storage temperature range	-40 °C – 85 °C
Dimensions (w x h x d)	6.2 x 93.0 x 73.0 mm
Weight (kg/piece)	0.030
Approvals	UL, CSA, GL
Termination	Screw terminal: solid 0.25 – 2.5 mm <sup>2</sup> / AWG 20 – 14 fine stranded with ferrule 0.25 – 1.5 mm <sup>2</sup> / AWG 20 – 16 Stripping length: 6 mm Screw driver: 3.5 x 0.5 mm

### Dimensions



27.05.2015 – Subject to technical modification

Part-No. 763020.0320

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com


United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY

**PIN assignment**



27.05.2015 – Subject to technical modification

Part-No. 763020.0320

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY